Journal of MOLECULAR BIOLOGY

EDITOR-IN-CHIEF
J. C. KENDREW

ASSISTANT EDITOR
S. BRENNER

EDITORIAL BOARD

G. Attardi
S. Bernhard
J. E. Darnell
G. von Ehrenstein
G. Felsenfeld
J. Hurwitz
H. E. Huxley
A. D. Kaiser
A. Klug
O. Maaløe
A. Novick
G. E. Palade
D. C. Phillips
L. Stryer
C. Thomas
A. Tissières
J. Wyman

UNIVERSITY OF HAWAII
LIBRARY

LIBRARY USE ONLY

VOLUME 45
14 October 1969 to 14 November 1969

ACADEMIC PRESS
LONDON and NEW YORK

Sar.
H301
73

Copyright © 1969, by Academic Press Inc. (London) Ltd.

ALL RIGHTS RESERVED

No part of this volume may be reproduced in any form, by photostat, microfilm, or any other means, without written permission from the publishers.

Printed in Great Britain

CONTENTS OF VOLUME 45

Number 1, 14 October 1969

Freifelder, D., Single-strand Breaks in Bacterial DNA Associated with Thymine Starvation 1

Lodish, H. F. and Robertson, H. D., Cell-free Synthesis of Bacteriophage f2 Maturation Protein 9

Phillips, L. A., Hotham-Iglewski, B. and Franklin, R. M., Polyribosomes of *Escherichia coli*. II. Experiments to Determine the *in vivo* Distribution of Polysomes, Ribosomes and Ribosomal Subunits 23

Lecuyer, H. and Dervichian, D. G., Structure of Aqueous Mixtures of Lecithin and Cholesterol 39

Tuan, D. Y. H. and Bonner. J., Optical Absorbance and Optical Rotatory Dispersion Studies on Calf Thymus Nucleohistone 59

Dickerson, R. E., Eisenberg, D., Varnum, J. and Kopka, M. L., $PtCl_4^{2-}$: A Methionine-specific Label for Protein Crystallography . . . 77

Anderson, N. S., Campbell, J. W., Harding, M. M., Rees, D. A. and Samuel, J. W. B., X-ray Diffraction Studies of Polysaccharide Sulphates: Double Helix Models for κ- and ι-Carrageenans 85

Appendix—Rees, D. A., Model Building Calculations for Alternating Polysaccharides 97

Okamoto, T., Sugiura, M. and Takanami, M., Length of RNA Transcribed on the Replicative Form DNA of Coliphage fd 101

Spitnik-Elson, P. and Atsmon, A., Detachment of Ribosomal Proteins by Salt. I. Effect of Conditions on the Amount of Protein Detached . . 113

Atsmon, A., Spitnik-Elson, P. and Elson, D., Detachment of Ribosomal Proteins by Salt. II. Some Properties of Protein-deficient Particles formed by the Detachment of Ribosomal Proteins 125

Borenstein, S. and Ephrati-Elizur, E., Spontaneous Release of DNA in Sequential Genetic Order by *Bacillus subtilis* 137

Announcement 153

Number 2, 28 October 1969

Dubnau, D., Davidoff-Abelson, R. and Smith, I., Transformation and Transduction in *Bacillus subtilis*: Evidence for Separate Modes of Recombinant Formation 155

BANERJEE, A. K., RENSING, U. and AUGUST, J. T., Replication of RNA Viruses. X. Replication of a Natural 6 s RNA by the Qβ RNA Polymerase . . 181

FIL, N., A Functional Analysis of the *rel* Gene in *Escherichia coli* . . . 195

GURGO, C., APIRION, D. and SCHLESSINGER, D., Polyribosome Metabolism in *Escherichia coli* treated with Chloramphenicol, Neomycin, Spectinomycin or Tetracycline 205

ROBERTS, D. B., Conformers of *Neurospora* Glutamate Dehydrogenase . . 221

DONOHUE, J., On N–H···S Hydrogen Bonds 231

KNIPPERS, R., RAZIN, A., DAVIS, R. and SINSHEIMER, R. L., The Process of Infection with Bacteriophage ϕX174. XXIX. *In vivo* Studies on the Synthesis of the Single-stranded DNA of Progeny ϕX174 Bacteriophage . 237

MADEN, B. E. H., VAUGHAN, M. H., WARNER, J. R. and DARNELL, J. E., Effects of Valine Deprivation on Ribosome Formation in HeLa Cells . . . 265

ENGLANDER, S. W. and STALEY, R., Measurement of the Free and the H-bonded Amides of Myoglobin 277

SCHOENBORN, B. P., Structure of Alkaline Metmyoglobin—Xenon Complex . 297

JEANTEUR, PH. and ATTARDI, G., Relationship between HeLa Cell Ribosomal RNA and its Precursors studied by High Resolution RNA–DNA Hybridization 305

CARO, L. and BERG, C. M., Chromosome Replication in *Escherichia coli*. II. Origin of Replication in F^- and F^+ Strains 325

KEDES, L. H., GROSS, P. R., COGNETTI, G. and HUNTER, A. L., Synthesis of Nuclear and Chromosomal Proteins on Light Polyribosomes during Cleavage in the Sea Urchin Embryo 337

LOENING, U. E., JONES, K. W. and BIRNSTIEL, M. L., Properties of the Ribosomal RNA Precursor in *Xenopus laevis*: Comparison to the Precursor in Mammals and in Plants 353

RIVA, S., BARRAI, I., CAVALLI-SFORZA, L. and FALASCHI, A., Dependence of the Buoyant Density of Single-stranded DNA on Base Composition . . 367

VENETIANER, P., Level of Messenger RNA transcribed from the Histidine Operon in Repressed, Derepressed and Histidine-starved *Salmonella typhimurium* 375

HOHN, B. and KORN, D., Cosegregation of a Sex Factor with the *Escherichia coli* Chromosome during Curing by Acridine Orange 385

HALL, M. O., BOK, D. and BACHARACH, A. D. E., Biosynthesis and Assembly of the Rod Outer Segment Membrane System. Formation and Fate of Visual Pigment in the Frog Retina 397

MICHALKA, J. and GOODGAL, S. H., Genetic and Physical Map of the Chromosome of *Hemophilus influenzae* 407

LETTERS TO THE EDITOR—

VOORMA, H. O., BENNE, R. and SCHOLTE TER HORST, F. H., Binding of Aminoacyl-tRNA to Ribosomes programmed with Bacteriophage MS2 RNA 423

BYWATER, R. P., CARLISLE, C. H. and JACKSON, R. B., An X-ray Crystallographic Study of *Escherichia coli* Glutamine Synthetase 429

BUTCHER, M. and GREEN, M. H., A Metabolic Requirement for Heat Induction of Class A Lambda Lysogens 433

PERHAM, R. N., Sucrose Density-gradient Analysis of the Alkaline Degradation of Tobacco Mosaic Virus 439

MECHLER, B. and ARBER, W., Parental fd DNA is efficiently transferred into Progeny Bacteriophage Particles even at Low Multiplicity of Infection 443

NUMBER 3, 14 NOVEMBER 1969

THACH, S. and BOEDTKER, H., High Molecular Weight Fragments of R17 Bacteriophage RNA produced by Pancreatic Ribonuclease 451

PAINTER, R. B. and SCHAEFER, A. W., Rate of Synthesis along Replicons of Different Kinds of Mammalian Cells 467

TOLLIN, P., Determination of the Orientation and Position of the Myoglobin Molecule in the Crystal of Seal Myoglobin 481

MEADOWS, D. H., ROBERTS, G. C. K. and JARDETZKY, O., Nuclear Magnetic Resonance Studies of the Structure and Binding Sites of Enzymes. VIII. Inhibitor Binding to Ribonuclease 491

COZZARELLI, N. R., KELLY, R. B. and KORNBERG, A., Enzymic Synthesis of DNA. XXXIII. Hydrolysis of a 5′-Triphosphate-terminated Polynucleotide in the Active Center of DNA Polymerase 513

EAGLES, P. A. M., JOHNSON, L. N., JOYNSON, M. A., MCMURRAY, C. H. and GUTFREUND, H., Subunit Structure of Aldolase: Chemical and Crystallographic Evidence 533

CHAN T-S. and GAREN, A., Amino Acid Substitutions Resulting from Suppression of Nonsense Mutations. IV. Leucine Insertion by the *Su6*$^+$ Suppressor Gene 545

SUZUKI, T. and GAREN, A., Fragments of Alkaline Phosphatase from Nonsense Mutants. I. Isolation and Characterization of Fragments from Amber and Ochre Mutants 549

LETTER TO THE EDITOR—

ROSS, P. D. and SCRUGGS, R. L., Heat of the Reaction between Polyribocytidylic Acid and Polyriboinosinic Acid 567

Index to Volume 45

Acridine orange curing in *Escherichia coli*, cosegregation of a sex factor with the chromosome, 385
Aldolase subunit structure, chemical and crystallographic evidence, 533
Alkaline phosphatase fragments from amber and ochre mutants, isolation and characterization, 549
Amber and ochre mutants, isolation and characterization of fragments of alkaline phosphatase, 549
Amides, free and H-bonded, measurement in myoglobin, 277
Aminoacyl-tRNA, binding to ribosomes programmed with bacteriophage MS2 RNA, 423
Anderson, N. S., Campbell, J. W., Harding, M. M., Rees, D. A. and Samuel, J. W. B., X-ray diffraction studies of polysaccharide sulphates: double helix models for κ- and ι- carrageenans, 85
Apirion, D. (see also Gurgo, C.), 205
Arber, W. (see also Mechler, B.), 443
Atsmon, A., Spitnik-Elson, P. and Elson, D., Detachment of ribosomal proteins by salt. II. Some properties of protein-deficient particles formed by the detachment of ribosomal proteins, 125
—, (see also Spitnik-Elson, P.), 113
Attardi, G. (see also Jeanteur, Ph.), 305
August, J. T. (see also Banerjee, A. K.), 181

Bacharach, A. D. E. (see also Hall, M. O.), 397
Bacillus subtilis, evidence for separate modes of recombinant formation in transformation and transduction, 155
— —, spontaneous release of DNA in sequential genetic order, 137
Bacterial DNA, single-strand breaks associated with thymine starvation, 1
Bacteriophage fd, parental DNA is efficiently transferred into progeny particles even at low multiplicity of infection, 443
— —, the length of RNA transcribed on the replicative form DNA, 101
— f2 maturation protein, cell-free synthesis, 9
— MS2 RNA used to programme ribosomes, binding of aminoacyl-tRNA, 423
—R17 RNA, high molecular weight fragments produced by pancreatic ribonuclease, 451
— ϕX174, *in vivo* studies on the synthesis of the single-stranded DNA of the progeny, 237
Banerjee, A. K., Rensing, U. and August, J. T., Replication of RNA viruses. X. Replication of a natural 6 s RNA by the $Q\beta$ RNA polymerase, 181
Barrai, I. (see also Riva, S.), 367
Benne, R. (see also Voorma, H. O.), 423
Berg, C. M. (see also Caro, L.), 325
Birnstiel, M. L. (see also Loening, U. E.), 353
Boedtker, H. (see also Thach, S.), 451
Bok, D. (see also Hall, M. O.), 397
Bonner, J. (see also Tuan, D. Y. H.), 59
Borenstein, S. and Ephrati-Elizur, E., Spontaneous release of DNA in sequential genetic order by *Bacillus subtilis*, 137
Butcher, M. and Green, M. H., A metabolic requirement for heat induction of class A lambda lysogens, 433
Bywater, R. P., Carlisle, C. H. and Jackson, R. B., An X-ray crystallographic study of *Escherichia coli* glutamine synthetase, 429

Calf thymus nucleohistone, optical absorbance and optical rotatory studies, 59
Campbell, J. W. (see also Anderson, N. S.), 85
Carlisle, C. H. (see also Bywater, R. P.), 429
Caro, L. and Berg, C. M., Chromosome replication in *Escherichia coli*. II. Origin of replication in F^- and F^+ strains, 325
κ- and ι-Carrageenans, a double helix model from X-ray diffraction studies, 85
Cavalli-Sforza, L. (see also Riva, S.), 367
Cell-free synthesis of bacteriophage f2 maturation protein, 9
Chan, T-s. and Garen, A., Amino acid substitutions resulting from supression of nonsense mutations. IV. Leucine insertion by the *Su6*$^+$ supressor gene, 545
Chloramphenicol, effect on polyribosome metabolism in *Escherichia coli*, 205
Cholesterol and lecithin, structure of aqueous mixtures, 39

Chromosomal and nuclear protein synthesis on light polyribosomes during cleavage in the sea urchin embryo, 337
Chromosome of *Escherichia coli*, cosegregation of a sex factor during curing by acridine orange, 385
— — *Hemophilus influenzae*, genetic and physical map, 407
— replication in *Escherichia coli*, origin in F^- and F^+ strains, 325
Cognetti, G. (see also Kedes, L. H.), 337
Cozzarelli, N. R., Kelly, R. B. and Kornberg, A., Enzymic synthesis of DNA. XXXIII. Hydrolysis of a 5′-triphosphate-terminated polynucleotide in the active center of DNA polymerase, 513
Crystal of seal myoglobin, orientation and position of the myoglobin molecule, 481
Crystallographic and chemical evidence for subunit structure of aldolase, 533

Darnell, J. E. (see also Maden, B. E. H.), 265
Davidoff-Abelson, R. (see also Dubnau, D.), 155
Davis, R. (see also Knippers, R.), 237
Density, buoyant, of single-stranded DNA, dependence on the base composition, 367
Deoxyribonucleic acid of bacteria, single-strand breaks associated with thymine starvation, 1
— — —, coliphage fd the length of RNA transcribed on the replicative form, 101
— — — parental bacteriophage fd efficiently transferred into progeny particles even at low multiplicity of infection, 443
— — — single-stranded bacteriophage ϕX174 progeny, *in vivo* studies of synthesis during the process of infection, 237
— — polymerase, hydrolysis of a 5′-triphosphate-terminated polynucleotide in the active center, 513
— — –RNA hybridization, high resolution study of the relationship between HeLa cell ribosomal RNA and its precursors, 305
— —, single-stranded, dependence of the buoyant density on the base composition, 367
— — spontaneously released in sequential genetic order by *Bacillus subtilis*, 137
Dervichian, D. G. (see also Lecuyer, H.), 39
Dickerson, R. E., Eisenberg, D., Varnum J. and Kopka, M. L., Platinum chloride ions: a methionine-specific label for protein crystallography, 77
Donohue, J., On N–H · · · · S hydrogen bonds, 231
Dubnau, D., Davidoff-Abelson, R. and Smith, I., Transformation and transduction in *Bacillus subtilis*: evidence for separate modes of recombinant formation, 155

Eagles, P. A. M., Johnson, L. N., Joynson, M. A., McMurray, C. H. and Gutfreund, H., Subunit structure of aldolase: chemical and crystallographic evidence 533
Eisenberg, D. (see also Dickerson, R. E.), 77
Elson, D. (see also Atsmon, A.), 125
Englander, S. W. and Staley, R., Measurement of the free and the H-bonded amides of myoglobin, 277
Ephrati-Elizur, E. (see also Borenstein, S.), 137
Escherichia coli, an X-ray crystallographic study of glutamine synthetase, 429
— — chromosome cosegregation with a sex factor during curing by acridine orange, 385
— — chromosome replication, origin in F^- and F^+ strains, 325
— —, functional analysis of the *rel* gene, 195
— —, *in vivo* distribution of polysomes, ribosomes and ribosomal subunits, 23
— —, treated with chloramphenicol, neomycin, spectinomycin or tetracycline, effect on polyribosome metabolism, 205

fd (see Bacteriophage)
f2 (see Bacteriophage)
Falaschi, A. (see also Riva, S.), 367
Fiil, N., A functional analysis of the *rel* gene in *Escherichia coli*, 195
Franklin, R. M. (see also Phillips, L. A.), 23
Freifelder, D., Single-strand breaks in bacterial DNA associated with thymine starvation, 1
Frog retina, formation and fate of visual pigment, 397

Garen, A. (see also Chan, T-S.), 545
— (see also Suzuki, T.), 549
Genetic and physical map of the chromosomes of *Hemophilis influenzae*, 407

Glutamate dehydrogenase of *Neurospora*, conformers, 221
Glutamine synthetase of *Escherichia coli*, an X-ray crystallographic study, 429
Goodgal, S. H. (see also Michalka, J.), 407
Green, M. H. (see also Butcher, M.), 433
Gross, P. R. (see also Kedes, L. H.), 337
Gurgo, C., Apirion, D. and Schlessinger, D., Polyribosome metabolism in *Escherichia coli* treated with chloramphenicol, neomycin, spectinomycin or tetracycline, 205
Gutfreund, H. (see also Eagles, P. A. M.), 533

Hall, M. O., Bok, D. and Bacharach, A. D. E., Biosynthesis and assembly of the rod outer segment membrane system. Formation and fate of visual pigment in the frog retina, 397
Harding, M. M. (see also Anderson, N. S.), 85
HeLa cell ribosomal RNA, relationship with its precursors studied by high resolution RNA–DNA hybridization, 305
— — ribosome formation, effects of valine deprivation, 265
Hemophilus influenzae, genetic and physical map of the chromosome, 407
Histidine operon in repressed, derepressed and histidine-starved *Salmonella typhimurium*, mRNA level transcribed, 375
Hohn, B. and Korn, D., Cosegregation of a sex factor with the *Escherichia coli* chromosome during curing by acridine orange, 385
Hotham-Iglewski, B. (see also Phillips, L. A.), 23
Hunter, A. L. (see also Kedes, L. H.), 337
Hydrogen bonds between N–H and S, 231

Jackson, R. B. (see also Bywater, R. P.), 429
Jardetzky, O. (see also Meadows, D. H.), 491
Jeanteur, Ph. and Attardi, G., Relationship between HeLa cell ribosomal RNA and its precursors studied by high resolution RNA–DNA hybridization, 305
Johnson, L. N. (see also Eagles, P. A. M.), 533
Jones, K. W. (see also Loening, U. E.), 353
Joynson, M. A. (see also Eagles, P. A. M.), 533

Kedes, L. H., Gross, P. R., Cognetti, G. and Hunter, A. L., Synthesis of nuclear and chromosomal proteins on light polyribosomes during cleavage in the sea urchin embryo, 337
Kelly, R. B. (see also Cozzarelli, N. R.), 513
Knippers, R., Razin, A., Davis, R. and Sinsheimer, R. L., The process of infection with bacteriophage ϕX174. XXIX. *In vivo* studies on the synthesis of the single-stranded DNA of progeny ϕX174 bacteriophage, 237
Kopka, M. L. (see also Dickerson, R. E.), 77
Korn, D. (see also Hohn, B.), 385
Kornberg, A. (see also Cozzarelli, N. R.), 513

Lambda lysogens, class A, a metabolic requirement for heat induction, 433
Lecithin and cholesterol, structure of aqueous mixtures, 39
Lecuyer, H. and Dervichian, D. G., Structure of aqueous mixtures of lecithin and cholesterol, 39
Leucine insertion by the *Su6*$^+$ suppressor gene, 545
Lodish, H. F. and Robertson H. D., Cell-free synthesis of bacteriophage f2 maturation protein, 9
Loening, U. E., Jones, K. W. and Birnstiel, M. L., Properties of the ribosomal RNA precursor in *Xenopus laevis*: comparison to the precursor in mammals and in plants, 353

Maden, B. E. H., Vaughan, M. H., Warner, J. R. and Darnell, J. E., Effects of valine deprivation on ribosome formation in HeLa cells, 265
Mammalian cells of different kinds, rate of synthesis along replicons, 467
McMurray, C. H. (see also Eagles, P. A. M.), 533
Meadows, D. H., Roberts, G. C. K. and Jardetzky, O., Nuclear magnetic resonance studies of the structure and binding sites of enzymes. VIII. Inhibitor binding to ribonuclease, 491
Melcher, B. and Arber, W., Parental fd DNA is efficiently transferred into progeny bacteriophage particles even at low multiplicity of infection, 443

Messenger RNA, level transcribed from the histidine operon in repressed, depressed and histidine-starved *Salmonella typhimurium*, 375
Methionine-specific label, $PtCl_4^{2-}$, for protein crystallography, 77
Michalka, J. and Goodgal, S. H., Genetic and physical map of the chromosome of *Hemophilus influenzae*, 407
MS2 (see Bacteriophage)
Myoglobin, measurement of the free and the H-bonded amides, 277
— molecule in the crystal of seal myoglobin, orientation and position, 481
—, structure of alkaline metmyoglobin–xenon complex, 297

Neomycin, effect on polyribosome metabolism in *Escherichia coli*, 205
Neurospora glutamate dehydrogenase conformers, 221
N–H · · · · S hydrogen bonds, 231
Nonsense mutations amino acid substitutions resulting from suppression, 545
Nuclear and chromosomal protein synthesis on light polyribosomes during cleavage in the sea urchin embryo, 337
— magnetic resonance study of inhibitor binding to ribonuclease, 491
Nucleohistone from calf thymus, optical absorbance and optical rotatory dispersion studies, 59

Ochre and amber mutants, isolation and characterization of fragments of alkaline phosphatase, 549
Okamoto, T., Sugiura, M. and Takanami, M., Length of RNA transcribed on the replicative form DNA of coliphage fd, 101
Optical absorbance and optical rotatory dispersion studies on calf thymus nucleohistone, 59
ϕX174 (see Bacteriophage)

Painter, R. B. and Schaefer, A. W., Rate of synthesis along replicons of different kinds of mammalian cells, 467
Pancreatic ribonuclease, production of high molecular weight fragments of R17 bacteriophage RNA, 451
Perham, R. N., Sucrose density-gradient analysis of the alkaline degradation of tobacco mosaic virus, 439
Phillips, L. A., Hotham-Iglewski, B. and Franklin, R. M., Polyribosomes of *Escherichia coli*. II. Experiments to determine the *in vivo* distribution of polysomes, ribosomes, and ribosomal subunits, 23
Platinum chloride ions, a methionine-specific label for protein crystallography, 77
Polymerase, RNA of Qβ replication of a natural 6s RNA, 181
Polynucleotide, 5′-triphosphate terminated, hydrolysis in the active center of DNA polymerase, 513
Polyribocytidylic acid and polyriboinosinic acid, heat of reaction, 567
Polyribosome metabolism in *Escherichia coli* treated with chloramphenicol, neomycin, spectinomycin or tetracycline, 205
Polyribosomes, light, on which chromosomal and nuclear proteins are synthesised during cleavage in the sea urchin embryo, 337
Polysaccharides, alternating, model building calculations, 97
Polysomes, ribosomes and ribosomal subunits, *in vivo* distribution in *Escherichia coli*, 23

R17 (see Bacteriophage)
Razin, A. (see also Knippers, R.), 237
Recombinant formation, evidence for separate modes in transformation and transduction in *Bacillus subtilis*, 155
Rees, D. A., Model building calculations for alternating polysaccharides, 97
— (see also Anderson, N. S.), 85
Rensing, U. (see also Banerjee, A. K.), 181
Replicons of different kinds of mammalian cells, rate of synthesis along them, 467
Ribonuclease, nuclear magnetic resonance study of inhibitor binding, 491
Ribonucleic acid, high molecular weight fragments of R17 bacteriophage RNA produced by pancreatic ribonuclease, 451
— —, messenger, level transcribed from the histidine operon in repressed, depressed and histidine-starved *Salmonella typhimurium*, 375
— —, the length transcribed on the replicative form DNA of coliphage fd, 101
— — virus, replication of a natural 6s RNA by the Qβ RNA polymerase, 181

Ribosomal proteins detached by salt, effect of conditions on the amount of protein detached, 113
— — — — —, some properties of protein-deficient particles formed, 125
— RNA of HeLa cells, relationship with its precursors studied by high resolution RNA–DNA hybridization, 305
— — precursor in *Xenopus laevis*, properties compared with mammal and plant precursor RNA, 353
Ribosome formation in HeLa cells, effects of valine deprivation, 265
Ribosomes programmed with bacteriophage MS2 RNA, binding of aminoacyl-tRNA, 423
—, ribosomal subunits and polysomes, *in vivo* distribution in *Escherichia coli*, 23
Riva, S., Barrai, I., Cavalli-Sforza, L. and Falaschi, A., Dependence of the buoyant density of single-stranded DNA on base composition, 367
Roberts, D. B., Conformers of *Neurospora* glutamate dehydrogenase, 221
Roberts, G. C. K. (see also Meadows, D. H.), 491
Robertson, H. D. (see also Lodish, H. F.), 9
Ross, P. D. and Scruggs, R. L., Heat of the reaction between polyribocytidylic acid and polyriboinosinic acid, 567

Salmonella typhimurium, level of mRNA transcribed from the histidine operon in repressed, depressed and histidine-starved bacteria, 375
Samuel, J. W. B. (see also Anderson, N. S.), 85
Schaefer, A. W. (see also Painter, R. B.), 467
Schlessinger, D. (see also Gurgo, C.), 205
Schoenborn, B. P., Structure of alkaline metmyoglobin–xenon complex, 297
Scholte ter Horst, F. H. (see also Voorma, H. O.), 423
Scruggs, R. L. (see also Ross, P. D.), 567
Sea urchin embryo, synthesis of nuclear and chromosomal proteins on light polyribosomes during cleavage, 337
Sinsheimer, R. L. (see also Knippers, R.), 237
Smith, I. (see also Dubnau, D.), 155
S · · · · N–H hydrogen bonds, 231
Spectinomycin, effect on polyribosome metabolism in *Escherichia coli*, 205
Spitnik-Elson, P. (see also Atsmon, A.), 125
— and Atsmon, A., Detachment of ribosomal proteins by salt. I Effect of conditions on the amount of protein detached, 113
Staley, R. (see also Englander, S. W.), 277
Sucrose density-gradient analysis of the products of alkaline degradation of tobacco mosaic virus, 439
Sugiura, M. (see also Okamoto, T.), 101
Suppressor gene *Su6*$^+$, leucine insertion, 545
Suzuki, T. and Garen, A., Fragments of alkaline phosphatase from nonsense mutants. I. Isolation and characterization of fragments from amber and ochre mutants, 549

Takanami, M. (see also Okamoto, T.), 101
Tetracycline, effect on polyribosome metabolism in *Escherichia coli*, 205
Thach, S. and Boedtker, H., High molecular weight fragments of R17 bacteriophage RNA produced by pancreatic ribonuclease, 451
Thymine starvation associated with single-strand breaks in bacterial DNA, 1
Tobacco mosaic virus, sucrose density-gradient analysis of the products of alkaline degradation, 439
Tollin, P., Determination of the orientation and position of the myoglobin molecule in the crystal of seal myoglobin, 481
Transduction and transformation in *Bacillus subtilis*, evidence for separate modes of recombinant formation, 155
Transfer RNA, aminoacyl, binding to ribosomes programmed with bacteriophage MS2 RNA, 423
Tuan, D. Y. H. and Bonner, J., Optical absorbance and optical rotatory dispersion studies on calf thymus nucleohistone, 59

Valine deprivation, effects on ribosome formation in HeLa cells, 265
Varnum, J. (see also Dickerson, R. E.), 77
Vaughan, M. H. (see also Maden, B. E. H.), 265
Venetianer, P., Level of messenger RNA transcribed from the histidine operon in repressed, derepressed and histidine-starved *Salmonella typhimurium*, 375

Virus RNA, replication of a natural 6s RNA by the Qβ RNA polymerase, 181
— (see Tobacco mosaic virus)
Visual pigment in the frog retina, formation and fate, 397
Voorma, H. O., Benne, R. and Scholte ter Horst, F. H., Binding of aminoacyl-tRNA to ribosomes programmed with bacteriophage MS2 RNA, 423

Warner, J. R. (see also Maden, B. E. H.), 265

Xenon–metmyoglobin complex, structure at alkaline pH, 297
Xenopus laevis ribosomal RNA precursor, properties compared with the precursor in mammals and plants, 353
X-ray crystallographic study of *Escherichia coli* glutamine synthetase, 429
— crystallography of proteins, $PtCl_4^{2-}$, a methionine-specific label, 77
— diffraction studies on κ- and ι- carrageenans, a double helix model, 85